

# Sasso E. Africa

## Weighing Solutions

### PLATFORM SCALES

MODEL	CAPACITY	READAILITY (g)	PAN SIZE(MM)
A12-SERIES	50Kgs-500Kgs	5g-20g	300 X 300MM – 600 X 600MM
LP7510-SERIES	50Kgs-500Kgs	5g-20g	300 X 300MM – 600 X 600MM
KW-SERIES	50Kgs-500Kgs	5g-20g	300 X 300MM – 600 X 600MM
IND-SERIES	50Kgs-500Kgs	5g-20g	300 X 300MM – 600 X 600MM



**A12 SERIES** is a simple affordable platform scale. comes with rechargeable battery and power code. power supply is inbuilt.does not have serial port so it is suitable for basic use in indutrial goods measurement. abs enclosure for the indicator. lcd display.



**LP7510** is a heavy duty durable weighing machine built for very harsh condition. it is built with stainless stell housing for the indicator and very strong materials for a long lasting solution i weighing. it is rated 1p68 and can handle wet condition perfectly without compromising the performace. suitable in chemical,salty,wety enviroment etc. comes with a rechargeable battery and ac-dc adaptor for charging



**KW** is platform is widely known yet being simple it is very durable and reliable. its performace is excellent. abs indicator enclosure and has serial port rs232 for connectivity with printer or computer.has rechargeable battery and ac-dc adaptor for charging.



**ID-SERIES TECHNOLOGY** offers the latest technology in weighing system with variety of connectivity not only the standard rs232,it has both wifi,bluetooth, modbus-rtu. it makes it. with this it is able to work on very heavy data collection organisation as it is compatible with various control systems. that makes it stand out from the rest of the weighing indicators.it has options of stainless steel enclosure and abs for indicator housing



## CONTACT US

### Physical Address

Scale And Services Solutions  
P.O BOX 11333, Nairobi  
North Airport Road, Embakasi  
Email: [support@sassoscales.co.ke](mailto:support@sassoscales.co.ke)

### Need Help / Quick Contacts

+2547 24 895 295  
[sales@sassoscales.co.ke](mailto:sales@sassoscales.co.ke)  
[support@sassoscales.co.ke](mailto:support@sassoscales.co.ke)